

NEXT GENERATION WORKFLOW EFFICIENCY

Innovative Multifunction Printers

A3



Print from anywhere, anytime with advanced wireless,
mobile and cloud technology

Itec B367 / B287 / B227

B367 36 PPM

B287 28 PPM

B227 22 PPM



SIMPLICITY AND USABILITY FIT IN ANY WORKING ENVIRONMENT

MONOCHROME MFP WITH ADVANCED FUNCTIONS IS ABLE TO RESPOND YOUR WORK STYLES. PRODUCT DESIGN


The Itec B367 series adopts the easy and intuitive INFO-Palette design and smart user interface. This ensures the same user experience in any business situation through seamless operation whether from PCs, tablets or smartphones.

LIGHTER AND COMPACT MFP BODY

The newly developed MFP main body offers a more compact and lightweight body than its predecessor, the Itec B283/B223. The MFP is able to fit in almost any type of working space.


WIDGETS FUNCTION

Text boxes, icons, or GIF animations can be posted on the MFP operation panel like the sticky notes. These can be used to display office communications, MFP usage rules, or warnings.



7 INCH OPERATION PANEL

The new 7 inch operation panel provides industry top class multi-touch sensitivity, user friendly interface and intuitive operation. 4 hard menu keys at the bottom of the panel and the on-screen soft menu keys can allow user to register up to 9 commonly used functions such as copy, scan/fax, preview or soft numeric keypad.



PRINT FROM ANYWHERE, ANYTIME WITH ADVANCED WIRELESS, MOBILE AND CLOUD TECHNOLOGY

MOBILE TOUCH

Mobile Touch Area is newly added on the operation panel. Mobile device connection is now possible via NFC (Near Field Communication) and Bluetooth LE (Low Energy)*1 technology. The connection will enable mobile features*2 such as pairing, print, scan, and user authentication. To execute these features, simply touch your device to the Mobile Touch Area then the PageScope Mobile application will do rest of the work.

*1 Optional Device Connection I/F Kit EK-609 is required.

*2 Android devices must be installed with Android 4.4 or later and NFC antenna that supports HCE (Host Card Emulation). For the iOS devices, iPhone 4s or later, 3rd generation or later iPad and iPad mini are compatible with Bluetooth LE.



WIRELESS LAN SUPPORT

The MFP becomes a wireless LAN Access Point*3 to allow direct wireless connection between mobile devices and printer. Devices brought into the office will be able to directly connect to the MFP and are securely separated from existing company LANs. PageScope Mobile will enable more convenient use, as wireless set up can be completed between a mobile device and printer simply by reading the QR code that is displayed on the machine panel.

*3 Optional Upgrade Kit UK-212 is required.

STANDARD WEB BROWSER

The multi-touch UI in the operational panel can be used to display and print out web page content. It is convenient for print required portions of PDF files that can be viewed on websites, or to print maps for places you are about to visit.

CONNECT INSTANTLY WITHOUT PRINT DRIVERS TO INDUSTRY STANDARD MOBILE DEVICES

AirPrint

Apple's standard printing system compatible with iOS 4.2 and Mac OS 10.7 or later. A compatible printer on your wireless LAN can be used.



Mopria Print Service

Wireless printing technology provided by Mopria Alliance. Allows you to print from devices installed with Android 4.4 or later.



Google Cloud Print

With the compatible software installed, you can print from any locations via the internet regardless of OS or device type.



- Google Cloud Print Setup and Google account registration are required.
- Optional Upgrade Kit UK-211 is required.

Print Service

Print directly via a wireless LAN from Android 4.4 or later installed devices.



PageScope Mobile

A genuine mobile print application to allow usage of wide range of functions such as duplex print, security print, staple and punch.



FLEXIBLE AND ADVANCED SECURITY TO PROTECT VALUABLE INFORMATION

AUTHENTICATION ON THE MFP MAIN UNIT

Authentication can be performed directly on the main unit. Detailed access control can be set up for each function including copy, print, scan, and fax*1.

* 1 Optional Fax Kit FK-513 is required.

TPM (TRUSTED PLATFORM MODULE)

Control the confidential information with a TPM (Trusted Platform Module) security chip which encrypts and decrypts any confidential data. The confidential information will be encrypted and stored only in the dedicated storage area in the chip. To avoid unauthorised reading from the outside.

* Optional i-Option LK-115 v2 is required

SERVER-LESS PULL PRINTING

Print jobs sent by user can be printed from any MFP in the office print group. To allow users to build a server-less pull printing system easier and with low introduction cost.

- A pull printing system consisting of a maximum of 10 MFPs can be created. It is necessary that all corresponding MFPs be in the same network.
- * Optional i-Option LK-114 and Upgrade Kit UK-211 are required to be installed to each of the MFP.

IC CARD AUTHENTICATION



To authenticate*2 with various types of IC card*3. The authentication method also complies with SSFC (Shared Security Formats

Cooperation) standard. Besides the IC card, authentication can also be performed with any Android devices that are equipped with NFC antenna.

- * 2 Optional Authentication Unit AU-2015 is required.
- * 3 Compliant non-contact IC cards include FeliCa (IDm), SSFC, FCF, FCF (campus), FeliCa Private, and MIFARE (UID).
- * 4 Requires Android 4.4 or later that supports HCE (Host Card Emulation) or PageScope Mobile for Android v4.1 or later.
- * Optional i-Option LK-114 and Upgrade Kit UK-211 are required to be installed to each of the MFP.


BIOMETRIC AUTHENTICATION



Your finger veins becomes the most accurate authentication tool. The biometric authentication is easy to implement but

offers very high-level security.


* Optional Biometric Authentication Unit AU-102 and Working Table WT-506 are required.



TPM (TRUSTED PLATFORM MODULE)

Control the confidential information with TPM (Trusted Platform Module) security chip which encrypts and decrypts any confidential data. The confidential information will be encrypted and stored only in the dedicated storage area in the chip. To avoid unauthorised reading from the outside.

* Optional i-Option LK-115 v2 is required.




ID AND PRINT

If a user sets a password in the printer driver screen before executing the print, the print data will be stored in the HDD of the MFP and will not be printed at the MFP until the same password is entered on the MFP operation panel. This function is useful when printing confidential documents or to restrict the receipt of outputs only to specific users.

INNOVATION HELPING EVERYONE TO REACH THEIR FULL POTENTIAL

SCREEN DISPLAY ENLARGE AND COLOUR REVERSAL FUNCTIONS

The screen display enlarge function enlarges the text on the buttons. The screen display colour reversal function reverses the display colour while maintaining the same contrast ratio. For better visibility to help elderly users and users with low vision.




DETACHABLE PAPER CASSETTE

Paper cassette of the MFP is detachable. Jammed paper remaining inside of the MFP can be easily removed to reduce MFP downtime.



ENVIRONMENTAL CONTRIBUTION IS ALWAYS TOP PRIORITY



**NEXT GENERATION
WORKFLOW EFFICIENCY**

Print from anywhere, anytime with advanced wireless, mobile and cloud technology
Itec B367 / B287 / B227

USAGE OF THE RECYCLED MATERIALS

Recycled PC/ABS and biomass plastic have been used in the MFP body. The recycled material usage is approximately 11% of the total MFP weight ratio*1 and approximately 51% of the MFP main body are made by the recycled materials.

*1 Total weight ratio of resins and plastics used in this machine.

TOP CLASS POWER CONSUMPTION AND TEC VALUE IN ITS CLASS

The MFP CPU power turns off during the sleep mode. This results in the top class 0.5 W power consumption ratio (during the sleep mode). The TEC value has also been reduced approximately 32-55%. More CO² emissions from MFP can be reduced.

* Values for 220-230 V

* TEC values applied to the International Energy Star Program Version 2.0

Yearly CO₂ emissions:

TEC value x 52 weeks x emission factor

(From November, 2011 press release by Japan's Ministry of the Environment.)